



Supremacy in **motion**



APAR INDUSTRIES LTD.

18, TTC MIDC Industrial Area, Thane Belapur Road, Opp. Rabale Railway Station, Rabale - 400 701, Navi Mumbai. INDIA.

© (91) (22) 6123 7555 Customer Care No.: 1800 313 3070 www.apar.com www.arkos.in ccare@arkos.in





i-Sigma Performance Synt IN

Viscosity Grades

SAE 15W-40

API Specifications

API CK-4/SN

Available in Pack Sizes

1L, 11L, 15L, 55L, 210L



Product Description

Top of the line superior performance diesel engine oil developed from synthetic technology base oils and with high performance additives to meet the stringent requirements of all new generation Turbocharged diesel engines including engines fitted with EGR. Recommended for use in Daimler, Volvo, Tata Motors, Ashok Leyland, Eicher, MAN, Scania and other heavy duty diesel engines, Off-highway equipment like Excavators, stationery heavy duty engines in DG sets.

Product Benefits

- Increases engine life by minimizing wear on engine parts. Very High Soot handling capability.
- Very good shear stability of the oil during service.
- Enhanced Fuel Economy.
- Reduced oil consumption.
- Ensures higher drain intervals.

i-Sigma Universal IN

Viscosity Grades

SAE 20W-40

API Specifications

API CH-4

Available in Pack Sizes

6L, 7L, 10L, 55L, 210L



Product Description

Diesel Engine Oil exceeding the requirements of naturally aspirated engines. Recommended for use in all types of trucks and tractors under all operating conditions.

Product Benefits

- Reduced wear on engine parts increasing engine life.
- Demonstrates excellent control on oil thickening.
- Excellent detergency keeping your engine clean.

i-Sigma Turbostar Syntech IN

Viscosity Grades

SAE 15W-40

API Specifications

API CI-4 Plus

Available in Pack Sizes

1L, 5L, 6L, 7L, 7.5L, 11L, 15L, 55L, 210L

Product Description

Premium diesel engine oil exceeding the requirements of new generation diesel engines fitted with turbocharger. Blended using synthetic technology base oils and high performance additive package. Recommended for use in Tata Motors, Ashok Leyland, Eicher Motors and all other heavy duty diesel engines in on-highway and off-highway application. Recommended for use in all EGR fitted engines.

Product Benefits

- Marked resistance to deterioration especially from oxidation.
- Provides excellent control on oil thickening.
- Excellent protection to the turbocharger.
- Keeps clean even the hottest parts of the engine such as pistons and piston rings.
- Significant reduction in oil consumption.



i-Sigma Cargo Special IN

Viscosity Grades

15W-40

API Specifications

API CF-4

Available in Pack Sizes

7L, 10L, 210L

Product Description

Eni i-Sigma cargo special IN 15W-40 is a multi-grade Diesel engine oil blended from premium quality base oils and treated with additives to impart superior properties. Specially formulated for Cargo Mini Trucks, Pick-up Vans operating in Cities, highways and subjected to special unique operating conditions such as high loads, short trips, stop & Go driving conditions.

Eni i-Sigma cargo special IN 15W-40 provides the following benefits:

- Superior detergent properties that limit deposit formation on hot engine parts and dispersancy to avoid coalescence of combustion products.
- Multi-grade characteristics make the engine oil suitable to operate under a wide temperature range.
- Excellent alkalinity retention ensuring full engine protection during the whole service period.
- Superior anti-rust properties ensuring engine protection.
- Maintain low oil consumption.



i-Sigma Universal IN

Viscosity Grades

SAE 15W-40

API Specifications

API CI-4

Available in Pack Sizes

6L, 7L, 10L, 15L, 55L, 210L



Product Description

Premium diesel engine oil exceeding the requirements of new generation diesel engines fitted with turbocharger. Blended using high performance base oils and additive package. Recommended for use in Tata Motors, Ashok Leyland, Eicher Motors and all other heavy duty diesel engines in on-highway and off-highway application.

Product Benefits

- Marked resistance to deterioration especially from oxidation.
- Provides excellent control on oil thickening.
- Excellent soot handling capability.
- Keeps clean even the hottest parts of the engine such as pistons and piston rings.
- Significant reduction in oil consumption.

Tractor Maxx IN

Viscosity Grades

15W-40

API Specifications

API CI-4

Available in Pack Sizes

7.5L, 8.5L, 10L, 15L



Product Description

Premium diesel Engine Oil exceeding the requirements of new generation diesel engines fitted with EGR. Blended, using high quality base oils and high performance additive package. It can be used in all turbocharged fitted engines.

Recommended for use in all new generation Tractors, Agriculture Equipments etc. Also can be recommended for all mobile applications where high performance diesel engine oil is recommended and other heavy duty diesel engines in off-highway application.

- Marked resistance to deterioration especially from oxidation.
- Provides excellent control on oil thickening.
- Excellent protection to the turbocharger.
- Keeps clean even the hottest parts of the engine such as pistons and piston rings.
- Significant reduction in oil consumption.

Engine Oil



Viscosity Grades

20W-40

API Specifications

API CF-4

Available in Pack Sizes

1L, 6L, 7.5L, 10L, 210L

Product Description

Diesel Engine Oil exceeding the requirements of Turbo-charged & NA engines. Blended from highly refined Base oils and advanced additive package. Recommended for use in all types of HCV, LCVs, Tractors, DG sets operating under all conditions:

Recommended for all new generation high performance motorcycles giving following benefits:

- Reduced wear on engine parts increasing engine life.
- Demonstrates excellent control on oil thickening.
- Excellent detergency keeping your engine clean.
- Excellent viscosity & temperature properties, ensuring very good viscosity retention during service period.

i-Sigma Cargo Mini IN



Viscosity Grades

15W-40

API Specifications

API CF-4

Available in Pack Sizes

1L, 2.5L

Product Description

Eni i-Sigma cargo mini IN 15W-40 is a multi-grade Diesel engine oil blended from premium quality base oils and treated with additives to impart superior properties. Specially formulated for Cargo Mini Trucks, Pick-up Vans operating in Cities, highways and subjected to special unique operating conditions such as high loads, short trips, Stop & Go driving conditions.

Eni i-Sigma cargo mini IN 15W-40 provides the following benefits:

- Superior detergent properties that limit deposit formation on hot engine parts and dispersancy to avoid coalescence of combustion products.
- Multi-grade characteristics make the engine oil suitable to operate under a wide temperature range.
- Excellent alkalinity retention ensuring full engine protection during the whole service period.
- Superior anti-rust properties ensuring engine protection.
- Maintain low oil consumption..

Tristar IN

Viscosity Grades

15W-40

API Specifications

API CH-4

Available in Pack Sizes

0.5L, 1L, 1.8+200 L, 3 L

Product Description

Tristar IN is a multi-grade Diesel engine oil blended from premium quality base oils and treated with additives to impart superior properties. Recommended for all Mini Trucks and 3 Wheelers where the engine oil meeting API CH-4 specification is preferred.

Eni Tristar IN 15W-40 provides:

- Superior detergent properties that limit deposit formation on hot engine parts and dispersancy to avoid coalescence of combustion products.
- Multi-grade characteristics make the engine oil suitable to operate under a wide temperature range.
- Excellent alkalinity retention ensuring full engine protection during the whole service period.
- Superior anti-rust properties ensuring engine protection

3 Wheeler



i-Ride Moto Xperience Pro+

Viscosity Grades

SAE 15W-50 & 20W-40

API Specifications

API SN JASO MA 2

Available in Pack Sizes

0.9L, 1L, 2.5L, 55L, 210L

Product Description

A top of the line four stroke motorcycle engine oil to meet the stringent demands of high performance motorcycles. The engine oil is specially formulated using synthetic base stocks and advanced additive technology to provide outstanding engine cleanliness, wear protection and unsurpassed performance during severe operating conditions.

Recommended for all new generation high performance motorcycles giving following benefits:

- Maximizes power output because of better engine performance.
- Significantly reduces fuel consumption.
- Advanced Clutch-Lok Technology ensures improved clutch performance enhancing ride feel. The G-Protek formula ensures excellent wear protection for transmissions.
- High evaporative stability ensures lower oil consumption..

MCO



Tristar Super IN

Viscosity Grades

15W-40

API Specifications

API CI-4 Plus

Available in Pack Sizes

1L, 3L

Product Description

Top of the line superior performance diesel engine oil blended from synthetic base oils and with high performance additives to meet the severe requirements of light commercial diesel engines. Recommended for all Mini Trucks like Tata Ace, Tata Super Ace, Mahindra Maximile, Ape Truck & 3 Wheelers from Ape, Bajaj Auto, Atul Auto etc. Recommended specifically for use in vehicles powered by Greaves & Lombardini engines

Eni Tristar Super IN 15W-40 provides:

- Enhanced Fuel Economy.
- Extended drain intervals.
- Reduced oil consumption.
- Enhanced all round Engine protection.
- Excellent drive feel performance during city as well as long haul operation



i-Ride Moto Xperience Pro+

Viscosity Grades

SAE 10W-30

API Specifications

API SN JASO MA 2

Available in Pack Sizes

0.9L, 1L, 55L, 210L

Product Description

A top of the line four stroke motorcycle engine oil to meet the stringent demands of high performance motorcycles. The engine oil is specially formulated using high performance base stocks and advanced additive technology to provide outstanding engine cleanliness, wear protection and unsurpassed performance during severe operating conditions

Recommended for all new generation high performance motorcycles giving following benefits:

- Maximizes power output because of better engine performance.
- The Engine oil is designed to provide better fuel economy.
- Advanced Clutch-Lok Technology ensures improved clutch performance enhancing ride feel. The G-Protek formula ensures excellent wear protection for transmissions.
- High evaporative stability ensures lower oil consumption



i-Ride Moto Xperience



Viscosity Grades

SAE 20W-40 &
SAE 20W-50

API Specifications

API SN JASO MA 2

Available in Pack Sizes

0.9L, 1L, 1.2L, 55L, 210L

Product Description

i-Ride Moto Xperience is a unique engine oil designed from a combination of high-quality mineral base stocks with high performance additives to exceed the highest performance requirement of crankcase and gear lubrication in 4-stroke-motorcycles:

Recommended for lubrication of all new generation four stroke motorcycles from Hero, Bajaj Auto, TVS Motors, Suzuki, Honda, Yamaha, LML etc.

- Offers excellent protection as it does not deteriorate even in high operating temperatures.
- Advanced Clutch- Lok Technology ensures improved clutch performance enhancing ride feel.
- Minimizes oil consumption. • Balanced product design aids in retaining its viscosity for longer time. • Ensures protection of engine and transmission components.

i-Sint Levo Supreme IN



Viscosity Grades

SAE 5W-40
SAE 10W-40

API Specifications

API SN

Available in Pack Sizes

1, 3, 5, 4L

Product Description

Premium engine oil designed to keep the engine running like new even in most severe operating conditions. Exceeds highest performance standards stipulated for crankcase lubricant of petrol and diesel engines. Recommended for use in all new generation cars and Multi utility vehicles made by Maruti, Honda, Toyota, General Motors, Skoda, Hyundai..

Product Benefits

- Enhanced fuel economy. • Extended drain intervals. • Excellent protection to the turbocharger.
- Balanced product design aids in Reduced oil consumption. • Enhanced all round engine protection

i-Ride Scooter 4T IN

Viscosity Grades

SAE 10W-30

API Specifications

API SL JASO MB

Available in Pack Sizes

0.8L



Product Description

i-Ride Scooter 4T IN is a unique engine oil based on synthetic base oil technology with superior additives to exceed the highest performance requirements of new generation 4-stroke-scooters.

Recommended for lubrication of all new generation four stroke motorcycles from Hero, Bajaj Auto, TVS Motors, Suzuki, Honda, Yamaha, LML etc.

- Exceeds the requirements of JASO MB. • Recommended for lubrication of all new generation 4-stroke-scooters of Hero Motors, Suzuki, Honda Scooters, Yamaha, Mahindra, TVS etc having a dry clutch. • H-Protex Formula ensures excellent protection as it does not deteriorate even in high operating temperatures. • Significant reduction in fuel consumption.

i-Sint Levo IN

Viscosity Grades

5W-30

API Specifications

API SN/CF

Available in Pack Sizes

1L, 3L, 3.5L, 210L



Product Description

Premium engine oil designed to keep the engine running like new even in most severe operating conditions. Exceeds highest performance standards stipulated for crankcase lubricant of petrol and diesel engines. Recommended for use in all new generation cars and Multi utility vehicles made by Maruti, Honda, Toyota, General Motors, Skoda, Hyundai.

Product Benefits

- Enhanced fuel economy. • Extended drain intervals. • Reduced oil consumption. • Enhanced all round engine protection.

PCMO



i-Sint Levo Ultra IN

Viscosity Grades

0W-40

API Specifications

API SN

Available in Pack Sizes

1, 4L

Product Description

Top synthetic engine oil formulated using 100% PAO (Polyalphaolefin) base oils and unique additive package designed for lubrication of modern passenger cars, delivering superlative performance. Recommended for all the latest new generation passenger cars like, MERCEDES-BENZ, PORSCHE, BMW, VAG (Volkswagen, Audi, Skoda), etc.

Product Benefits

- Excellent thermal & oxidation stability • Better fuel economy • Superior protection against wear, corrosion • High Viscosity Index allows the engine oil to be used in wide operating conditions • Excellent low temperature properties, to ensure a smooth cold start

i-Base Levo Super IN

Viscosity Grades

15W-40

API Specifications

API CI-4+/SL

Available in Pack Sizes

3.5, 5L



Product Description

Top of the line engine oil designed to keep engines running like new, even in the severe most operating conditions. ENI i-Base Levo Super IN is a high performance engine oil stipulated for crankcase lubrication of both diesel & petrol engines. Recommended for use in new generation cars and Multi utility vehicles made by Maruti, Honda, Toyota, General Motors, Skoda, Mercedes, Hyundai etc.

Product Benefits

- Extended drain intervals • Reduced oil consumption. • Excellent all round engine protection. • Enhanced all round engine protection.

i-Base Levo IN



Viscosity Grades

20W-50

API Specifications

API SJ

Available in Pack Sizes

3L

Product Description

Engine oil designed for crankcase lubrication of petrol engines. This product offers excellent engine protection. Recommended for use in older models like Maruti 800, Omni, Alto, Esteem, Hyundai Santro etc..

Product Benefits

- Offers excellent protection during start-up.
- Offers extended life of moving components by reducing wear protection

ROTRA THT



Viscosity Grades

SAE 80W

API Specifications

API GL-4

Available in Pack Sizes

5L, 20L & 210L

Product Description

eni ROTRA THT is a universal lubricant for farm tractors. With its special properties, it is equally suitable for use in transmissions, hydraulic systems, wet clutches and brakes, final drives and power take-offs. Recommended for modern tractors where a single oil has to satisfy the lubrication requirements of the gearbox, differential, final drive and PTOs.

Product Benefits

- The special formulation ensures high oxidation stability and resists any tendency to form sludge and deposits.
- Excellent anti wear properties and good EP characteristics, ensures long gear and bearing life, while providing protection even under heavy load conditions.
- The combination of anti stick-slip additives and appropriate oiliness provides the desired friction/ characteristics to reduce vibration and slippage in wet brakes, thus preventing overheating, rapid wear and squawk.

Gas Special

Viscosity Grades

20W-50

API Specifications

API SG

Available in Pack Sizes

0.5L, 1L, 1.8L+200ml, 3L, 210L

Product Description

Premium engine oil designed to keep the engine running like new even in most severe operating conditions. Exceeds highest performance standards stipulated for crankcase lubricant of petrol and diesel engines. Recommended for use in all new generation cars and Multi utility vehicles made by Maruti, Honda, Toyota, General Motors, Skoda, Hyundai.

Product Benefits

- Enhanced fuel economy.
- Extended drain intervals.
- Reduced oil consumption.
- Enhanced all round engine protection.



Rotra ATF IN

Viscosity Grades

SAE 85W-140

API Specifications

GM T.A.S.A.

Available in Pack Sizes

1L, 210L

Product Description

eni ROTRA ATF IN is a special multipurpose oil suitable for use in Automatic transmissions, manual gear boxes and power steering. The product is blended from specially selected base stocks with inherent oxidation and thermal stability. The specially selected additives impart excellent anti-oxidation, anti-wear, anti-foaming and desired friction characteristics.



TRANSMISSION OILS



Rotra GL-5 IN

Viscosity Grades

SAE 85W-140

API Specifications

API GL-5

Available in Pack Sizes

1L, 5L, 12L & 210L

Product Description

Gear oil exceeding highest performance requirements even on most severe operating conditions. Recommended for gear lubrication of heavy commercial vehicles from TATA Motors, Ashok Leyland, Volvo, Man and Eicher vehicles where an API GL-5 performance is required.

Product Benefits

- Ultimate gear protection under extreme loads.
- Superior performance even in shock load conditions.

GREASES



Grease 30 LLR

Viscosity Grades

NLGI 3

API Specifications

API GL-5

Available in Pack Sizes

0.5, 1, 3, 5, 7, 20, 180KG

Product Description

eni GREASE 30 LLR is a lithium soap based premium quality, multipurpose grease of NLGI 3 consistency. Manufactured using high Viscosity base oils and fortified with Anti-wear additives, rust and oxidation inhibitors. The special formulation ensures superior shear stability, surface adhesion and thus resistance to wear, corrosion, shock loading and oxidation. Recommended for applications wherein operating temperatures rise to 120° C under continuous service.

Product Benefits

- Because of its multipurpose nature, eni GREASE 30 LL can be used for a great variety of applications, simplifying stock-control and eliminating the danger of a grease being used for the wrong job.
- On account of the robust soap chemistry and much higher base oil blend viscosities, this grease can be recommended for higher service life compared to conventional greases.
- Having a high dropping point, it can be used without difficulty over a wide range of temperatures.
- The higher blend viscosities further increase the anti-wear capabilities of the grease and also enhance the load carrying capability.

CLASSIC

I-Ride Moto Classic IN



Viscosity Grades

SAE 20W-40

API Specifications

API SJ

Available in Pack Sizes

0.9L, 1L

Product Description

ENI I-RIDE MOTO CLASSIC IN is a motorcycle engine oil designed from a combination of high performance mineral base stocks and additive package, to exceed the highest performance requirement of engine crankcase and gear lubrication in 4-stroke-motorcycles. The special formula ensures that oil has the desired optimized frictional characteristics for better clutch engagement and thus provide smooth ride...

Product Benefits

- Exceeds the requirements of JASO MA2
- Recommended for lubrication of all Four stroke motorcycles from Hero, Bajaj Auto, TVS Motors, Suzuki, Honda, Yamaha, LML etc.
- Offers excellent engine protection as the oil does not deteriorate even in high operating temperatures.
- Advanced Clutch- Lok Technology ensures improved clutch performance enhancing ride feel.
- Ensures protection of Transmission components as well.

I-Sigma Classic IN



Viscosity Grades

SAE 20W-40

API Specifications

API CF-4

Available in Pack Sizes

7.5L

Product Description

ENI I-SIGMA CLASSIC IN is a diesel Engine Oil designed to lubricate Diesel engines which are Turbo-charged or Naturally aspirated. The product is blended from high quality Base oils with a superior additive package to provide optimal protection to the engine against wear and corrosion. Recommended for use in all types of HCV, LCVs, tractors, DG sets operating under all conditions where a API CF-4 specification is recommended.

Product Benefits

- Reduced wear on engine parts.
- Demonstrates control on oil thickening.
- Excellent detergency keeping engines clean.
- Excellent viscosity & temperature properties, ensuring very good viscosity retention during service period.

I-Base Classic IN

Viscosity Grades

SAE 5W-30

API Specifications

API SM/CF

Available in Pack Sizes

3.5L



Product Description

Premium engine oil designed to keep the engine running like new even in most severe operating conditions. Meets the high performance standards recommended for crankcase lubricant of petrol engine and can also be used for diesel engines where API CF is recommended. The product is recommended for use in new generation cars and Multi utility vehicles made by Maruti, Honda, Toyota, General Motors, Skoda, Hyundai.

Product Benefits

- Enhanced Fuel Economy.
- Extended drain intervals.
- Reduced oil consumption.
- Enhanced all round engine protection.

I-Sigma Classic IN

Viscosity Grades

SAE 15W-40

API Specifications

API CF-4

Available in Pack Sizes

7.5L

Product Description

ENI I-SIGMA CLASSIC IN is a diesel Engine Oil designed to lubricate Diesel engines which are Turbo-charged or Naturally aspirated. The product is blended from high quality Base oils with a superior additive package to provide optimal protection to the engine against wear and corrosion. Recommended for use in all types of HCV, LCVs, tractors, DG sets operating under all conditions where a API CF-4 specification is recommended..

Product Benefits

- Reduced wear on engine parts.
- Demonstrates control on oil thickening.
- Excellent detergency keeping engines clean.
- Excellent viscosity & temperature properties, ensuring very good viscosity retention during service period.



Gas Classic IN



Viscosity Grades

SAE 20W-50

API Specifications

API SF/CD

Available in Pack Sizes

1L

Product Description

ENI GAS CLASSIC IN engine oil is specifically designed for vehicles running on CNG as a fuel. The engine oil is made with superior Base oils and an additive package to keep the engine running in good condition in most severe operating conditions. The special blend ensures that the product delivers optimum power, better engine protection and a good overall performance. Recommended for use in vehicles like Cars, Taxis, 3-wheelers, LCVs which are operating on CNG fuel.

Product Benefits

- Very good wear protection.
- Good detergent and dispersant properties.
- Excellent protection against rust and corrosion.
- Excellent Oxidation and Nitration control.

I-Sigma Cargo Mini Classic IN



Viscosity Grades

SAE 20W-40

API Specifications

API CF-4

Available in Pack Sizes

3.5 L

Product Description

ENI I-SIGMA CARGO MINI CLASSIC IN is a diesel Engine Oil designed to lubricate Diesel engines which are Turbo-charged or Naturally aspirated. The product is blended from high quality Base oils with a superior additive package to provide optimal protection to the engine against wear and corrosion. Recommended for use in all types of HCV, LCVs, tractors, DG sets operating under all conditions where a API CF-4 specification is recommended.

Product Benefits

- Reduced wear on engine parts.
- Demonstrates control on oil thickening.
- Excellent detergency keeping engines clean.
- Excellent viscosity & temperature properties, ensuring very good viscosity retention during service period.